

Perltidy

Christian K lker

2022-05-23

Contents

1	History	1
2	Installation	2
3	Configuration	2
4	Example Configuration Inspired by Perl Best Practice	2
5	Activation In Vim	3
6	Disclaimer of Warranty	4
7	Limitation of Liability	4

Perltidy is a very valuable tool when it comes to formatting Perl source code in a common way. This is especially helpful if you follow the recommended Perl Best Practices (PBP) style guide.

1 History

Version	Date	Notes
0.1.5	2022-05-23	Fix perltidyrc download link
0.1.4	2022-05-22	Changes->History, change comments, improve ,pt
0.1.3	2020-05-12	Add front matter
0.1.2	2016-06-22	Improve vim section
0.1.1	2009-03-06	Adapt changes from PBP

Version	Date	Notes
0.1.0	2009-02-05	Initial release

2 Installation

```
aptitude install perltidy
```

3 Configuration

Perltidy uses its configuration file at: `~/.perltidystyle`

4 Example Configuration Inspired by Perl Best Practice

```
1  ### PBP perltidy version 0.1 (2009-03-06)
2
3  ### Max line width is 78 cols
4  -l=78
5
6  ### Indent level is 4 cols
7  -i=4
8
9  ### Continuation indent is 4 cols
10 -ci=4
11
12 ### Output to STDOUT
13 -st
14
15 ### ckuelker 2009-02-05: if you switch this on in vim it will print error
16 ### messages directly in your code! Happy clean up!!
17 ### Errors to STDERR
18 #-se
19
20 ### Maximal vertical tightness
21 ### switch this on (set this to 2) seems to be make the layout too tight
22 ### switch this on might be a mistake in PBP (German edition) since PBP
23 ### recommends K&R style, see chapter 2
24 ### ON:
25 ###         my $dog = CipUX::Dog->new(
26 ###             {   dog_hr      => $dog_hr,
27 ###                 object      => $object,
28 ###                 overwrite_hr => $overwrite_hr,
```

```
29 ###          }
30 ###          );
31 ### OFF:
32 ###          my $dog = CipUX::Dog->new(
33 ###          {
34 ###              dog_hr      => $dog_hr,
35 ###              object      => $object,
36 ###              overwrite_hr => $overwrite_hr,
37 ###          }
38 ###          );
39 #-vt=2
40
41 ### No extra indentation for closing brackets
42 -cti=0
43
44 ### Medium parenthesis tightness
45 -pt=1
46
47 ### Medium brace tightness
48 -bt=1
49
50 ### Medium square bracket tightness
51 -sbt=1
52
53 ### Medium block brace tightness
54 -bbt=1
55
56 ### No space before semicolons
57 -nsfs
58
59 ### Don't outdent long quoted strings
60 -nolq
61
62 ### Break before all operators
63 -wbb="% + - * / x != == >= <= =~ !~ < > | & >= < = **= += *= &= <<= &&= -=
    /= \
64 |= >>= ||= .= %= ^= x="
```

- Download local by browsers and PDF in browser tabs: [perltidyrc](https://github.com/ckuelker/perltidyrc)
- View via <https://github.com> by PDF viewers: <https://raw.githubusercontent.com/ckuelker/quick-guide-en-us/master/Dev/Perl/Style-Guide/perltidyrc>

5 Activation In Vim

To activate `perltidy` cleanup in vim you can add this to `~/.vimrc`

```
map ,pt <Esc>:%!perltidy <CR>
```

When pressing `,'pt'` fast after each other your Perl code gets reformatted if `perltidy` is installed in your path. Otherwise your code gets removed.

In case unintentional removing of content is not desired the above mapping can be made safer by adding a vim function.

```
function! s:Perltidy() abort
  if executable("perltidy")
    :%!perltidy
    echo "Executed perltidy"
  else
    echo "- FAIL: Could not find command 'perltidy'"
  endif
endfunction
map ,pt :call <sid>Perltidy()<CR>
```

6 Disclaimer of Warranty

THERE IS NO WARRANTY FOR THIS INFORMATION, DOCUMENTS AND PROGRAMS, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE INFORMATION, DOCUMENT OR THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE INFORMATION, DOCUMENTS AND PROGRAMS IS WITH YOU. SHOULD THE INFORMATION, DOCUMENTS OR PROGRAMS PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

7 Limitation of Liability

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE INFORMATION, DOCUMENTS OR PROGRAMS AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE INFORMATION, DOCUMENTS OR PROGRAMS (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE INFORMATION, DOCUMENTS OR PROGRAMS TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.